

課程講義

[下載連結](#)

網路安全練習主機與電文資訊

```
主機URL: "http://class.softarts.cc/AppSecurity/encryptData.json"
Payload 加密 Key: "zaq1xsw2cde3vfr4"
Password 加密 Key Prefix: "1qaz2wsx"
```

Exception Domains 設定 Key 值

```
NSExceptionAllowsInsecureHTTPLoads
NSIncludesSubdomains
```

SSL Pinning

[SSLLabs](#)

假 Pinning Hash

```
"AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA=" ,
"BBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBBB="
```

UIWindow+Extension.swift 預設內容

[UIWindow+Extension.swift](#)

main.swift 預設內容

```
import Foundation
import UIKit

autoreleasepool {
    UIApplicationMain(
        CommandLine.argc,
        UnsafeMutableRawPointer(CommandLine.unsafeArgv)
            .bindMemory(
                to: UnsafeMutablePointer<Int8>.self,
                capacity: Int(CommandLine.argc)),
```

```
    nil,  
    NSStringFromClass(AppDelegate.self) //Or your class name  
)  
  
}
```

Objective-C 混淆方式參考

[codeobscure](#)

[ZMConfuse](#)

Swift Jailbreak 偵測

[JailBreak-Detection](#)

TouchID/FaceID 範例程式

[SwiftHelloLocalAuthentication.zip](#)

From:
<https://wiki.softarts.cc/> - SoftArts WiKi

Permanent link:
https://wiki.softarts.cc/doku.php?id=%E5%85%AC%E9%96%8B:tibame_ios_app%E8%B3%87%E8%A8%8A%E5%AE%89%E5%85%A8

Last update: 2021/04/19 15:12

